

Stay Soft Plumbers Putty

Material Safety Data Sheet

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Manufacturing Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheet.

SECTION I - GENERAL INFORMATION			
Black Swan Manufacturing Co. 4540 W. Thomas Street Chicago, IL 60651-3318 Telephone No: 1-773-227-3700 Fax No: 1-773-227-3705	For chemical emergencies during transportation only call INFOTRAC 1-800-535-5053 24 hours per day - 7 days a week		
Date Prepared 1/1/05	Trade Name STAY SOFT PUTTY		
SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION			
HAZARDOUS COMPONENTS	CAS#	APPROX% ACGIH-TLV OSHA-PEL	
This product is not classified as hazardous according with OSHA 1910.1200.			
*Title III Section 313 Supplier Notification: this product contains toxic chemicals subject to the reporting requirements of Section 313 of the Emergency planning and community Right-to-Know Act of 1966 and of 40CFR372. This information must be included in all MSDS's that are copied and distributed for this material.			
<u>SHIPPING INFORMATION</u> NOT HAZARDOUS FOR SHIPPING PURPOSES.	<u>SPECIAL HAZARD DESIGNATIONS</u>		
	<u>HMIS</u>	<u>NFPA</u>	
	<u>HAZARD RATING</u>		
	HEALTH	0	0 - MINIMAL
	FLAMMABILITY	0	1- SLIGHT
	REACTIVITY	0	2- MODERATE
	PROTECTIVE		3- SERIOUS
	EQUIPMENT	A	4- SEVERE
SECTION III - PHYSICAL DATA			
APPEARANCE BEIGE	ODOR MILD PETROLEUM ODOR	BOILING POINT N/A	

SPECIFIC GRAVITY (H2O=1) 2.14	VAPOR PRESSURE (mm Hg.) N/A	VOLATILE BY VOLUME (%) N/A
VAPOR DENSITY (AIR=1) N/A	EVAPORATION RATE (BUAC=1) N/A	SOLUBILITY IN WATER INSOLUBLE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS	LEL	UEL
N/A	(PERCENT BY VOLUME)	N/A	N/A

FIRE EXTINGUISHING MEDIA

DRY CHEMICAL OR CARBON DIOXIDE OR WATER.

SPECIAL FIRE FIGHTING PROCEDURES

AS APPROPRIATE FOR COMBUSTIBLES IN AREA.

UNUSUAL FIRE AND EXPLOSION HAZARD

NONE

SECTION V - HEALTH HAZARD DATA

PRIMARY ROUTES OR ENTRY _____ Inhalation X Skin contact _____ Eye contact X Ingestion

EFFECT OF OVEREXPOSURE

NONE

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES

 EYES : FLUSH WITH WATER AND GET MEDICAL ATTENTION.

 SKIN : WASH WITH SOAP AND WATER.

 INGESTION : DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

SECTION VI - REACTIVITY

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	NONE
INCOMPATIBILITY (MATERIALS TO AVOID) STRONG OXIDIZERS			
HAZARDOUS DECOMPOSITION PRODUCTS CARBON DIOXIDE AND CARBON MONOXIDE MAY BE RELEASED ON BURNING.			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N/A

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED CLEAN UP BY SCRAPING.
WASTE DISPOSAL METHOD DISPOSE OF IN LANDFILL.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type) NONE REQUIRED.	
VENTILATION LOCAL EXHAUST ADEQUATE.	
PROTECTIVE GLOVES NONE	EYE PROTECTION NONE
OTHER PROTECTIVE EQUIPMENT AND HYGIENIC PRACTICES NONE	

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

NO SPECIAL PRECAUTION.

OTHER PRECAUTIONS

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.